



EBIG

C

Compressor Power

O


Outstanding Cooling Capacity

O

Optimize Power Consumption

L

Long Air Flow




FEATURES

MICRO PARTICLE CATCHING FILTER (PM 2.5)

Breathe easy with our cutting-edge filtration system that eliminates dust, allergens, and bacteria. Enjoy a cooler, fresher, and healthier indoor environment - one breath at a time.



The filter effectively catches floating PM 2.5 particles to maintain clean air in the room.




Electrostatic material removes PM 2.5 from the air and absorbs it when passing through the filter

FEATURES

4 WAY SMART SWING

Seamless Comfort, All Around




Experience balanced cooling in every corner. No more hot spots-just smooth, even airflow wherever you are.

FEATURES

ENERGY SAVING MODE

Cool Comfort, Lower Bills

Enjoy efficient cooling that's easy on your wallet. This smart mode cuts down on power usage without sacrificing performance - perfect for staying comfortable while saving energy.




TURBO MODE

Instant Chill

Beat the heat in no time! Turbo Mode powers up for rapid cooling, delivering quick comfort when you need it most.



SPECIFICATION



Type	Inverter Cooling only				
Model Name	Indoor Unit		EAY-HA15VG	EAY-HA19VG	EAY-HA22VG
	Outdoor Unit		EAY-HA15VG	EAY-HA19VG	EBY-HA22VG
Cooling Capacity	Rated (Min-Max)	Watt	4600(2300-4830)	5400 (2700-5670)	6500 (3250-6825)
Tonnage		TR	1.30	1.6	1.90
Star Rating			3 Star	3 Star	3 Star
Energy Efficiency	ISEER		4.31	4.31	4.35
Power Input	Rated (Min-Max)	Watt	1340 (500-1407)	1580 (585-1659)	1897 (695-1992)
Air Volume	Indoor unit (Silent-Lo-Med-Hi-Turbo)	CFM	400/427/497/551/725	497/551/ 647/812	497/551/ 647/812
Noise Level	Indoor unit (Silent-Lo-Med-Hi-Turbo)	dB(A)	38-42-45-50	42-46-50-52	42-46-50-52
Refrigerant			R32		
Power supply	Voltage	V	230V		
Power Input Range	Voltage	V	145-285V		
Operating Current	Rated	A	6.13	7.23	8.68
Indoor unit	Net Dimensions (H x W x D)	mm	315x940x240	315x1070x235	315x1070x235
	Net Weight	kg	11.5	12.5	12.5
Outdoor unit	Net Dimensions (H x W x D)	mm	535x800x300	600x840x300	600x840x300
	Net Weight	kg	20.74	22.7	25.36
Pipe Size	Diameter Liquid	mm (inches)	6.35	6.35	6.35
	Diameter Gas	mm (inches)	12.7	12.7	12.7
	Additional Refrigerant	gm	25/m	25/m	25/m
	Max.Length	m	15	15	15
	Max.Elevation	m	10	10	10
Ambient Operating Range		°C	52°		
Control wiring (Copper)	ODU to IDU	Core No. x Sq.mm	4 Core, 1.5 Sq.mm,	4 Core, 1.5 Sq.mm,	4 Core, 1.5 Sq.mm,
Power cable (Copper)	IDU to ODU	Core No. x Sq.mm	3 Core, 1.5 Sq.mm,	3 Core, 1.5 Sq.mm,	3 Core, 1.5 Sq.mm,
ODU Breaker Size		A	12A	16A	25A

COOLING

that fits your space & life

From hot summer days to humid nights, this Window AC brings comfort without clutter, perfect for modern living, urban homes, and compact rooms.




SPECIFICATION

Type	Window Inverter Cooling only		
Model name	Indoor unit		EWY-HA18SG
Cooling Capacity	Rated (Min-Max)	Watt	5000 (2500-5250)
Tonnage		TR	1.5
Star Rating			3
Energy Efficiency	ISEER		3.45
Power Input	Rated (Min-Max)	Watt	1660 (730-1743)
Air Volume	Indoor unit (Lo-Med-Hi)	CFM	406-430-447
Noise Level	Indoor unit (Lo-Med-Hi)	dBA	57-58-59
Refrigerant			R32
Power supply	Voltage	V	230V
Power Input Range	Voltage	V	145-285V
Operating Current	Rated	A	7.59
Indoor unit	Net Dimensions (H x W x D)	mm	430x660x710
	Net Weight	kg	40.12
Evaporator	Row		2
	Tube Diameter	mm	7mm
Condenser	Row		2
	Tube Diameter	mm	5mm
Ambient Operating Range		°C	52°

Power cable (Copper)		Core No. x Sq.mm	3 Core, 1.5 Sq.mm,
ODU Breaker Size		A	16A



FEATURES



Features Split Airconditioner



Remote
Back Lit



High ambient
operation up to 54°



BlueFin



Auto Restart



5 in 1
Convertible



Self Clean



Dust Filter



Self
Diagnosis



PM 2.5
Filter



Turbo Mode /
Fast cooling



Stabilizer free
operation



Inner grooved
piping



Gas Leak
Alarm



4 Way Swing



Timer



Dry Mode



Sleep Mode



Eco/ Saving
Mode



Features Window Airconditioner



Inner grooved
piping



PM 2.5 Filter



Auto swing



Remote Back Lit



Slide out
chassis



Removable
filter




Power saver
compressor



Blue fin
(anti corrosion)



Energy saver



100% copper



Self Diagnosis



4 Speed
cooling



Timer



Dry Mode



Sleep Mode



Turbo Mode /
Fast cooling

FEATURES



BUILT TO LAST ANTI-RUST PROTECTION


for Long-Lasting Durability

Our ACs come with a special anti-rust coating, safeguarding against corrosion and ensuring both lasting performance and a sleek appearance for years.

BACKLIT REMOTE

Glow-in-the-Dark Convenience

Control your comfort with ease even in low light. The backlit remote lets you adjust settings effortlessly, day or night.





MITSUBISHI ELECTRIC INDIA PVT. LTD.

GURUGRAM HEAD OFFICE

3rd Floor, Tower A, Global Gateway, M.G. Road,
Gurugram – 122002, Haryana, India.
Tel: +91 (124) 673 9300

DELHI REGISTERED OFFICE

B1/G3, 4th Floor, Mohan Cooperative Industrial Estate,
New Delhi – 110044
Tel: +91 (124) 673 9300

MANUFACTURING FACILITY

Central Avenue, Plot No. 27, Mahindra Industrial Park
Chennai Limited, Gummidipoondi Taluk, Peruvoyal Village,
Origins Mahindra World City, Tiruvallur, Tamil Nadu – 601206

TECHNICAL CENTRES

Ahmedabad: 079-67777861, Bengaluru: 080-40201600,
Chennai: 044-49232222, Delhi: 011-66057900,
Mumbai: 022-66116200

Customer Care (Toll Free)
1800 102 2626

For service support



*For E-waste Collection & Disposal process: Customer can get complete details of company process on collection, disposal of e-waste product (i.e. 'Mitsubishi Electric' make Air Conditioner / Printers) and incentive / exchange scheme for returning of e-waste on Company website (www.MitsubishiElectric.in) or Toll free number 1800 102 2626.



- Head Office
- Branch Offices
- ▲ Satellite Offices
- ★ Technical Centres
- # Sales Offices
- ★ Manufacturing Facility

*Map for reference purpose only.

BRANCH / SALES OFFICES

North Zone

Delhi: 011-66057900, Haryana: 085277 92569
Chandigarh: 0172-4601645, Ludhiana: 0161-4061654
Ghaziabad: 0120-4230692, Jaipur: 0141-4011109
Lucknow: 0522-4002607

West Zone

Mumbai: 022-66116200, Ahmedabad: 079-67777888
Indore: 0731-4098991, Nagpur: 712-2284020
Pune: 020-41555000, Rajkot: 0281-2585525
Vadodra: 0265-2314699, Surat: 0261-4003111

East Zone

Kolkata: 07086087007, Bhubaneswar: 09073949597
Patna: 07739857587, Raipur: 08817936264

South Zone

Chennai: 044-49232222, Bangalore: 09311768727
Coimbatore: 0422-4385606, Hyderabad: 040-43438888
Kochi: 0484-4862093, Vijayawada: 08498894567

SATELLITE OFFICES

North Zone

Agra: 09536900140, Dehradun: 08800878763
Kanpur: 09205987322, Varanasi: 09410245883

West Zone

Aurangabad: 07387777132, Bhopal: 09907135346
Goa: 09769627630

East Zone

Ranchi: 07677063849, Guwahati: 07086087007

South Zone

Hubli: 08448398012, Mangalore: 08448398012
Tirupati: 09319591931, Madurai: 9600923533
Vellore: 09500824622, Erode: 08448894663
Vizag (Visakhapatnam): 09205987308

For more details

